

CARE OF UV OILED FLOORS

UV oil forms a protective coating on the surface of the wood, increases its resistance to dirt, impregnates it and protects it against damp, as well as highlighting the natural traits of the wood.

HOW TO PROTECT AND AVOID DAMAGE?

When using Barlinek wooden floors, regardless of whether it is a lacquer or oil-finished floor, it is worth remembering a few basic rules for preventing damage.



Everyday Care



Beware of water!



Use a mat to wipe!



Use pads
padsunder
furniture!



Avoid walking
in high heels!



Do not install
in damp rooms



Use protective mats!

SPECIALISED CARE PRODUCTS:

Natural wood floors require that users take regular care of them and use the proper care agents. Proper care of floorboards means the floor stays beautiful and has a longer life.



WASH CARE

Concentrate for everyday care of oiled floors.

Yield approx 150 m² / l.



WAX CARE PLUS

After the floor is laid it recommended be protected with wax care plus.

Agent for first and periodic care of wood floors.

Yield approx 100-110 m² / l.



MAGIC CLEANER

Thorough cleaning of dirty floors. Removes dirt, grease, nicotine and old layers of cleaning agents.

Yield approx 100 m2 / l.

	Maintenance soap – Wash Care	Caring and refreshing agent – Wax Care Plus	Cleaning agent – Magic Cleaner
Intensity of use	Everyday cleaning	Everyday care	Thorough cleaning
Floors in rooms which are not intensively used, e.g. living rooms, bedrooms	Every 5-7 days	Every 6-12 months	According visual assessment
Floors in areas which are used with average intensity, e.g. stairs, corridors, office spaces	Every 3-5 days	Every 3-6 months	According visual assessment
Floors in places which are intensively used, e.g. restaurants, shops, schools	Every 1-3 days	1-2 times per month	According visual assessment

IMPORTANT: The floor should be cared for using only agents intended for this purpose.

* Use of care agents for floors oiled made by manufacturers other than Barlinek may result in staining, discolouration of dyed or colourless floors or major changes to their slipperiness and sheen. Barlinek bears no responsibility for the effects of using agents made by other manufacturers.

All recommendations regarding the regularity of cleaning and caring for floors are given for reference only and depend on actual intensity of use. For these reasons they may not form the basis for warranty claims. Sand trailed or water spilt on the floor have very undesirable effects on it and it is vital to remove them.